

FEMA

Stagecoach Area Drainage Master Plan



September 17, 2024


Project Purpose

- Planning-level study of flooding risk within the project watershed
- Goals
 - Develop a comprehensive understanding of the existing flood risk
 - Develop data to assist the community and Lyon County with future development
 - Develop regional and local flood mitigation alternative solutions
 - Develop a benefit-cost analysis for a selected mitigation alternative



Project Funding

- FEMA Cooperative Technical Partner (CTP Grant)
- Lyon County (In-Kind Support)



Project Elements

❖ Public Meetings

- Meeting #1 – February 22, 2023
 - Introduced the project
 - Heard your experiences, received your input
- Meeting #2 – Tonight
 - Present the Project Findings



JOIN US

Stagecoach Area Drainage Master Plan

SHARE YOUR FLOOD EXPERIENCES WITH US.

You are invited to learn about the Stagecoach Area Drainage Master Plan and share your concerns, comments, and past flood experiences with our drainage experts.

DATE AND TIME	LOCATION
FEB 22 2023	STAGECOACH COMMUNITY CENTER
5:30PM - 7:00PM <small>Short presentation at 5:30pm followed by workshops to hear your comments and learn of your experiences, until 7:00pm.</small>	8204 Highway 50 West Stagecoach, Nevada 89429

We need your comments and past flood experience to successfully develop the Stagecoach Area Drainage Master Plan.



JOIN US

Stagecoach Area Drainage Master Plan

PUBLIC MEETING & PRESENTATION

Our drainage experts will provide a brief presentation on the results, mitigation alternatives, and overall value of Lyon County's proposed Stagecoach Area Drainage Master Plan. Residents will have the opportunity to meet with the professional team to discuss the study results related to their neighborhood flood risk.


DATE AND TIME	LOCATION
SEPT 17 2024	SILVER SPRINGS SENIOR CENTER
6:00PM - 7:30PM <small>Short presentation 6:00PM</small>	2945 Fort Churchill Street Silver Springs, NV 89429

For questions please contact Lyon County Planning Department at planning@lyon-county.org or 775-463-6592.

Project Elements

❖ Data Collection



- Previous Studies
 - Flood Insurance Studies
 - FEMA Floodplain Mapping
 - County Layers
 - Land Use
 - Building Footprints
 - Assessor Parcels



Project Elements

❖ Data Collection



- Topographic Mapping
 - USGS LiDAR (2017, 2020)



Project Elements

❖ Data Collection


- Landform Assessment
 - Alluvial Fans
 - Playas



Project Elements

❖ Hydrologic Modeling

- New NDOT Method for Storm Shape
 - 5-year, 24-hour storm
 - 25-year, 24-hour storm
 - 100-year, 6-hour storm
 - 100-year, 24-hour storm
- NDOT Method for Soil Infiltration
 - Green and Ampt method




Comparison of 6-hour and 24-hour storm shapes


Project Elements

❖ Hydraulic Modeling

- Latest technology: 2-dimentional (FLO-2D)
 - Two model areas (upper and lower)
 - Topography (LiDAR)
 - Land Use
 - Hydraulic structures (culverts)
 - Floodplain cross-sections
- Verification
 - Resident information
 - USGS Regression



Model boundaries



Existing culverts



Project Elements



Project Elements

❖ Sediment Engineering



- Collected Sediment Samples
- Quantify sediment being transported during floods



Project Elements

❖ Verification of Results



- USGS Regression Data
- Resident flooding experience



Project Elements

❖ Flood Risk Classification



- Pedestrians
- Vehicles
- Buildings



Project Elements

❖ Flood Risk Classification


- Pedestrians
- **Vehicles**
- Buildings



Project Elements

❖ Flood Risk Classification


- Pedestrians
- Vehicles
- **Buildings**
 - **Low:** depth < 6 inches
 - **Moderate:** 6 in > depth < 1 foot
 - **High:** depth > 1 foot



Project Elements

❖ Mitigation Alternatives

- Stagecoach Unique Challenges
 - Minimal drainage infrastructure
 - Alluvial fans, distributary flow
 - Closed basin watershed
- Develop both Regional and Local mitigation alternatives




Project Elements

❖ Regional Alternatives

- Six regional basins with collector and conveyance channels
- Mitigation challenges

Large Storm Volumes + Large Sediment Volumes = Large Basins


Large Basins + High Gradient Topography = Large Costs



Project Elements


❖ Local Alternatives

- Four areas where local alternatives would be beneficial
 - Empey Channel – collects and drains flow from west of Empey Drive
 - Help with roadway drainage and sediment



❖ Concept Design Plans

- [illegible]



Project Elements

❖ Mitigation Alternative Costs

Mitigation Alternative	Project Cost	O&M Cost (over 20 years)	20-year Net Present Values
Regional Structures			
Iron Mountain Basin	\$ 16,713,000	\$ 8,943,100	\$ 25,656,100
Shawnee Basin	\$ 51,500,500	\$ 9,669,400	\$ 61,169,900
Geurts Basin	\$ 28,234,800	\$ 9,835,900	\$ 38,070,700
Quarter Horse Basin	\$ 45,108,800	\$ 9,731,200	\$ 54,840,000
Apache Basin	\$ 28,753,500	\$ 9,123,400	\$ 37,876,900
Stagecoach Basin	\$ 30,178,300	\$ 8,453,800	\$ 38,632,100
Regional Subtotal	\$ 200,488,900	\$ 55,756,800	\$ 256,245,700
Local Structures			
Empey Channel	\$ 4,206,700	\$ 1,110,800	\$ 5,317,500
Black Hawk Channel	\$ 409,400	\$ 769,200	\$ 1,178,600
Silver Lane Channel	\$ 208,200	\$ 769,200	\$ 977,400
Rancho/Pinto Channels	\$ 2,108,000	\$ 769,200	\$ 2,877,200
Local Subtotal	\$ 6,932,300	\$ 3,418,400	\$ 10,350,700
Total	\$ 207,421,200	\$ 59,175,200	\$ 266,596,400

Project Elements



Benefits Summary - Buildings


Regional Alternative Project	25-Year, 24-Hour Storm Existing Conditions			25-Year, 24-Hour Storm With Mitigation Alternatives			Total Buildings Removed
	Number of High Hazard Buildings ¹	Number of Moderate Hazard Buildings ²	Number of Low Hazard Buildings ³	Number of High Hazard Buildings ¹	Number of Moderate Hazard Buildings ²	Number of Low Hazard Buildings ³	
Apache Basin	2	51	75	0	4	32	92
Empey Channel	5	17	14	0	0	1	35
Geurts Basin	0	2	3	0	0	1	4
Iron Mountain Basin	2	8	15	1	2	4	18
Quarter Horse Basin	3	22	20	0	2	12	31
Shawnee Basin	1	3	1	0	0	2	3
Stagecoach Basin	0	10	13	0	0	8	15
Regional Alternative Project	100-Year, 24-Hour Storm Existing Conditions			100-Year, 24-Hour Storm With Mitigation Alternatives			Total Buildings Removed
	Number of High Hazard Buildings ¹	Number of Moderate Hazard Buildings ²	Number of Low Hazard Buildings ³	Number of High Hazard Buildings ¹	Number of Moderate Hazard Buildings ²	Number of Low Hazard Buildings ³	
Apache Basin	12	96	50	2	49	71	36
Empey Channel	15	37	20	0	3	14	55
Geurts Basin	1	13	11	0	2	8	15
Iron Mountain Basin	7	34	16	1	4	7	45
Quarter Horse Basin	13	33	13	1	12	24	22
Shawnee Basin	2	5	2	1	4	3	1
Stagecoach Basin	1	9	6	1	8	3	4
1. Depth: > 1' 2. Depth: 0.5' < h ≤ 1' 3. Depth: 0.25' < h ≤ 0.5'							

Benefits Summary


Depth Reduction

25-year, 24-hour Storm

Depth Change with Alternatives (25-year, 24-hour storm)



Note: Green colors represent a reduction in flood depths (benefit). Red colors represent an increase in flood depths.





Benefits Summary

Depth Reduction

100-year, 24-hour Storm

Depth Change with Alternatives (100-year, 24-hour storm)





Benefits Summary

Flood Risk Quick Reference

Flood Risk Quick Reference


Flow Depth (feet)	3	6	Buildings
1	4	>6	Streets
2	5		



Benefits Summary

Benefit-Cost Analysis

- FEMA procedures
 - Building Damages
 - Content Damages
 - Displacement Costs
- Needed to apply for federal grant opportunities for mitigation construction projects
- Benefit-Cost Ratio > 1 = Good



FEMA Damage Curves

Benefits Summary

Benefit-Cost Analysis

- Project Team selected Empey Channel

Structure and Displacement Loss Estimates and Project Benefits

	10 -Year Storm	25 -Year Storm	50 -Year Storm	100 -Year Storm	500-year Storm	Annual
Structure Losses (Existing)	\$3,174,996	\$4,050,623	\$4,881,785	\$5,763,126	\$7,514,410	\$427,456
Structure Losses (Post-Project)	\$2,468,289	\$2,803,620	\$3,053,810	\$3,352,412	\$4,576,283	\$289,630
Structure Loss Benefit	\$706,707	\$1,247,003	\$1,827,975	\$2,410,714	\$2,938,127	\$137,826
Displacement (Existing)	\$2,430,000	\$2,940,000	\$3,150,000	\$3,360,000	\$3,960,000	\$291,750
Displacement (Post-Project)	\$2,140,000	\$2,630,000	\$2,740,000	\$2,810,000	\$3,170,000	\$254,810
Displacement Benefit	\$290,000	\$310,000	\$410,000	\$550,000	\$790,000	\$36,940
Total Benefit	\$996,707	\$1,557,003	\$2,237,975	\$2,960,714	\$3,728,127	\$174,766

Final Benefit Cost Ratio

Type	NPV	BCR
Empey Channel (Construction and O&M for 50-years)	\$5,840,263	-
Benefits (50-year life)	\$7,789,295	1.334

Project Elements

